

New Bloom Labs 6121 Heritage Park Dr. Chattanooga, TN 37416

5H06052557-01 750mg Mint

Sample ID: 2506NBL0130.0363 Matrix: Ingestible Type: Tincture Sample Size: Received: 06/12/2025 Completed: 06/16/2025 Batch#:

(844) 837-8223

Lic# AT-2868

http://newbloomlabs.com

Client Abhaya Holding Co. Lic. # 319 E Lewis & Clark Pkwy Clarksville, IN 47129



Cannabinoids

ND Total THC	ND Δ9-THC		2.712% Total CBD		2.712% Total Cannabinoids
Analyte	LOD	LOQ	Result	Result	
(6aR,9R)-d10-THC 9R-HHC (6aR,9S)-d10-THC 9S-HHC CBC CBCa CBDa CBDa CBDa CBDV CBDVa CBDVa CBDVa CBG CBGa CBGa CBN CBNa Δ8-THC Δ9-THC THCa	% 0.0094 0.0094 0.0094 0.0094 0.0094 0.0094 0.0094 0.0094 0.0094 0.0094 0.0094 0.0094 0.0094 0.0094 0.0094 0.0094 0.0094 0.0094	% 0.014 0.014 0.014 0.014 0.014 0.014 0.014 0.014 0.014 0.014 0.014 0.014 0.014 0.014 0.014 0.014 0.014 0.014 0.014	% ND ND ND ND ND 2.712 ND ND ND ND ND ND ND ND ND ND ND ND ND	mg/g ND ND ND ND ND 27.12 ND ND ND ND ND ND ND ND ND ND ND ND ND	
THCp THCV THCVa Total THC Total CBD Total	0.0094 0.0094 0.0094	0.014 0.014 0.014	ND ND ND 2.712 2.712	ND ND ND 27.123 27.123	

Date Tested: 06/12/2025

Total THC = THCa $* 0.877 + \Delta 9$ -THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection, ND = Not Detected Total THC Measurement of Uncertainty: $\pm 0.040\%$ Total CBD Measurement of Uncertainty: $\pm 2.000\%$

ashley N Phillips

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



Ashley Phillips Laboratory Director 06/16/2025 QA Testing

1 of 1

Result

Complete

Complete

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs. Filth and Foreign Testing Method - CON-P-11000