1 of 1

## 500mg FSD/D8 Pain Stick 5H06242585-01

Sample ID: 2506NBL0236.0673

Matrix: Topical Type: Salve Sample Size:

Received: 06/30/2025 Completed: 07/09/2025 Batch#:

Client

Abhaya Holding Co.

Lic.#

319 E Lewis & Clark Pkwy Clarksville, IN 47129



Summary

Cannabinoids

Date Tested 06/30/2025

Result Complete

Cannabinoids

Complete

0.093%

Total THC

0.093%

Λ9-THC

0.816%

Total CBD

1.761%

Total Cannabinoids

Total Tric			Total CDD		Total Califiabilioids
Analyte	LOD	LOQ	Result	Result	
	%	%	%	mg/g	
(6aR,9R)-d10-THC	0.0096	0.014	ND	ND	
9R-HHC	0.0096	0.014	ND	ND	
(6aR,9S)-d10-THC	0.0096	0.014	ND	ND	
9S-HHC	0.0096	0.014	ND	ND	
CBC	0.0096	0.014	ND	ND	
CBCa	0.0096	0.014	ND	ND	
CBD	0.0096	0.014	0.816	8.16	
CBDa	0.0096	0.014	ND	ND	
CBDV	0.0096	0.014	ND	ND	
CBDVa	0.0096	0.014	ND	ND	
CBG	0.0096	0.014	ND	ND	
CBGa	0.0096	0.014	ND	ND	
CBN	0.0096	0.014	ND	ND	
CBNa	0.0096	0.014	ND	ND	
Δ8-THC	0.0076	0.014	0.852	8.52	
Δ9-THC	0.0076	0.014	0.093	0.93	
THCa	0.0096	0.014	ND	ND	
THCp	0.0076	0.014	ND	ND	
THCV	0.0076	0.014	ND ND	ND	
THCVa	0.0076	0.014	ND ND	ND	
Total THC	0.0070	0.014	0.093	0.930	
Total CBD			0.816	8.157	
Total			1.761	17.608	
iulai			1./01	17.000	

Date Tested: 06/30/2025

Testing Method: HPLC, CON-P-3000

Total THC = THCa\*0.877 + Δ9-THC; Total CBD = CBDa\*0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection, ND = Not Detected

Total THC Measurement of Uncertainty: ± 0.040%, Total CBD Measurement of Uncertainty: ± 2.000%



Ashley Phillips Laboratory Director 07/09/2025

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs. Filth and Foreign Testing Method - CON-P-11000