

10427 Cogdill Road, Suite 500 Knoxville, TN, 37932, US DEA Number: RK0595249

## Certificate

Kaycha Labs 🛯 🗱 🔊

502 Hemp 750mg/30mL FSD Pink Lemonade N/A



Sample:KN20331008-001

Batch#: 5H03282210-01

Harvest/Lot ID: 5H03282210-01

Matrix: Derivative

of Analysis	Seed to Sale# N/A Batch Date: 03/28/22 Sample Size Received: 10 ml Total Weight/Volume: N/A Retail Product Size: 10 ml ordered : 03/29/22 sampled : 03/29/22 Completed: 04/01/22 Expires: 04/01/23 Sampling Method: SOP Client Method
Apr 01, 2022   Commonwealth Extracts, LLC 6900 Riverport Dr Louisville, KY, 40258, US	PASSED Page 1 of 1
PRODUCT IMAGE SAFETY RESULTS	MISC.
🛆 Cannabinoid	PASSED
Total THC Total CBD   0.1277% 0   VIA THE VIA LOB   VIA LOB    VIA THE	Total Cannabinoids 3.4649%
%   0.1277   3.044   0.0727   <0.01   ND   0.0727   3.044   <0.01   0.0464   ND   0.1277   0.0485   ND   0.1256   <0.01   ND   ND     mg/ml   1.2259   29.2224   0.6979   <0.001	ND ND
To <th< td=""><td>),031 for analysis.).</td></th<>	),031 for analysis.).

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, pm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

## **Sue Ferguson** Lab Director

State License # n/a ISO Accreditation # 17025:2017



Signature

04/01/22

Signed On