

KCA Laboratories 232 North Plaza Drive

Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

Certificate of Analysis

1 of 1

D8 2 gram disposable

Sample ID: SA-220209-7137

Batch:

Type: Finished Products Matrix: Concentrate - Vape Received: 02/11/2022 Completed: 02/28/2022 Client

Elyxr 330 Wall St #1 Los Angeles, CA 90013



Summary

Date Tested 02/28/2022 Cannabinoids

Status Tested

Cannabinoids by HPLC-PDA, LC-MS/MS, and/or GC-MS/MS

0.0763 % Total Δ9-THC

90.0 % Δ8-ΤΗС 90.2 %

Total Cannabinoids

Not Tested

Moisture Content

Not Tested

Foreign Matter

Internal Standard

		_								Normalization
Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	mAU		SA-220	0209-7137		
CBC	0.0095	0.0284	ND	ND				as-Ti-C		
CBCA	0.0181	0.0543	ND	ND						
CBCV	0.006	0.018	ND	ND	750					
CBD	0.0081	0.0242	ND	ND	100000					
CBDA	0.0043	0.013	ND	ND						
CBDV	0.0061	0.0182	ND	ND	500					
CBDVA	0.0021	0.0063	ND	ND	300					
CBG	0.0057	0.0172	ND	ND						
CBGA	0.0049	0.0147	ND	ND						
CBL	0.0112	0.0335	ND	ND	250				Zandan	
CBLA	0.0124	0.0371	ND	ND				PH.	ternal s	
CBN	0.0056	0.0169	0.167	1.67			že.	Ñ	Ā	
CBNA	0.006	0.0181	ND	ND	0		- 0 ~	\mathcal{A}		
Δ8-THC	0.0104	0.0312	90.0	900	-	2.5	5.0	7.5	10.0	
Δ9-ТНС	0.0076	0.0227	0.0763	0.763	(x10,000,000)					min Max Intensity - 20
Δ9-ΤΗCΑ	0.0084	0.0251	ND	ND	2.5			STEEL THE		
Δ9-THCV	0.0069	0.0206	ND	ND	2.0	2		della		
Δ9-ΤΗCVA	0.0062	0.0186	ND	ND		Standa				
Total Δ9-THC			0.0763	0.763	1.5	ernal S				
Total CBD			ND	ND	1.0	Ē				
Total			90.2	902	0.5	ħ.		P-THC		

 $ND = Not \ Detected; \ NT = Not \ Tested; \ LOD = Limit \ of \ Detection; \ LOQ = Limit \ of \ Quantitation; \ RL = Reporting \ Limit; \ \Delta = Delta; \ Total \ \Delta9 - THC = \Delta9 - THCA * 0.877 + \Delta9 - THC; \ Total \ CBD = CBDA * 0.877 + CBD = CBDA * 0.877 + CBD = CBDA * 0.877 + CBDA$

Torrer

Generated By: Alex Morris Quality Assurance Manager Date: 02/28/2022

Tested By: Scott Caudill Senior Scientist Date: 02/28/2022





ISO/IEC 17025:2017 Accredited Accreditation #108651



This product or substance has been tested by KCA Laboratories using validated esting methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories CCA Laboratories can provide measurement uncertainty upon request.