

Certificate of Analysis

502 Hemp, LLC

201 Moser Rd B Louisville, KY 40223 deedee@502hemp.com 502-409-2292

Sample: 08-27-2024-54104

Sample Received:08/27/2024;

Report Created: 08/30/2024; Expires: 08/30/2025

DZD8 Caramel Balls

Ingestible





0.026% **Total THC** 0.026% Δ -9 THC

24.998 mg/unit **Total Cannabinoids** ND mg/unit **Total CBD**

Cannabinoid

(Testing Method:HPLC, CON-P-3000) Date Tested: 08/27/2024

Complete

Analyte	LOD	LOQ	Mass	Mass	Mass	
,,,,,,,,	mg/unit	mg/unit	mg/unit	mg/g	%	
Δ-8-Tetrahydrocannabinol (Δ-8 THC)	0.900	1.345	22.654	2.493	0.249	
Δ-9-Tetrahydrocannabinol (Δ-9 THC)	0.900	1.345	2.344	0.258	0.026	
Δ-9-Tetrahydrocannabinolic Acid (THCA-A)	0.900	1.345	ND	ND	ND	
Δ-9-Tetrahydrocannabiphorol (Δ-9-THCP)	0.900	1.345	ND	ND	ND	
Δ-9-Tetrahydrocannabivarin (Δ-9-THCV)	0.900	1.345	ND	ND	ND	
Δ-9-Tetrahydrocannabivarinic Acid (Δ-9-THCVA)	0.900	1.345	ND	ND	ND	
R-Δ-10-Tetrahydrocannabinol (R-Δ-10-THC)	0.900	1.345	ND	ND	ND	
S-Δ-10-Tetrahydrocannabinol (S-Δ-10-THC)	0.900	1.345	ND	ND	ND	
9R-Hexahydrocannabinol (9R-HHC)	0.900	1.345	ND	ND	ND	
9S-Hexahydrocannabinol (9S-HHC)	0.900	1.345	ND	ND	ND	
Cannabidivarin (CBDV)	0.900	1.345	ND	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.900	1.345	ND	ND	ND	
Cannabidiol (CBD)	0.900	1.345	ND	ND	ND	
Cannabidiolic Acid (CBDA)	0.900	1.345	ND	ND	ND	
Cannabigerol (CBG)	0.900	1.345	ND	ND	ND	
Cannabigerolic Acid (CBGA)	0.900	1.345	ND	ND	ND	
Cannabinol (CBN)	0.900	1.345	ND	ND	ND	
Cannabinolic Acid (CBNA)	0.900	1.345	ND	ND	ND	
Cannabichromene (CBC)	0.900	1.345	ND	ND	ND	
Cannabichromenic Acid (CBCA)	0.900	1.345	ND	ND	ND	
Total			24.998	2.751	0.275	

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; ND = Not Detected.

Total THC Measurement of Uncertainty: \pm 0.040% Total CBD Measurement of Uncertainty: \pm 2.000% THCO Dotency analysis does not designate quantitative specificity of Δ -8-THCO and Δ -9-THCO isomers

Unit Size: 9.087 g Unit: 1 Caramel Ball



New Bloom Labs 6121 Heritage Park Drive, A500 Chattanooga, TN 37416 (844) 837-8223 TN DEA#: RN0563975 ANAB Testing Laboratory (AT-2868): ISO/IEC 17025:2017

ashlugh Phillips Ashley N. Phillips, M. Sc

Laboratory Director

Powered by

reLIMSinfo@relims.com