

LLF-1030-FSD

Sample ID: 2602NBL0309.0858
Matrix: Concentrates & Extracts
Type: Distillate
Sample Size:
Date Collected: 02/17/2026

Received: 02/17/2026
Completed: 02/24/2026
Expires: 02/24/2027
External Lot ID:
Batch#: LLF-1030-FSD

Client
Abhaya Holding Co.
Lic. #
319 E Lewis & Clark Pkwy Clarksville, IN 47129
(502) 432-9151 abhayaholdingco@gmail.com



Summary

Test	Date Tested	Result
Cannabinoids	02/20/2026	Fail
Residual Solvents	02/17/2026	Pass
Microbials	02/17/2026	Pass
Mycotoxins	02/24/2026	Pass
Pesticides	02/24/2026	Pass
Heavy Metals	02/18/2026	Pass

Cannabinoids

Fail

2.894% Total THC	2.894% Compliance Result	83.446% Total CBD	89.355% Total Cannabinoids
----------------------------	------------------------------------	-----------------------------	--------------------------------------

Analyte	LOD	LOQ	Result	Result
	%	%	%	mg/g
(6aR,9R)-d10-THC	0.0943	0.142	ND	ND
9R-HHC	0.0943	0.142	ND	ND
(6aR,9S)-d10-THC	0.0943	0.142	ND	ND
9S-HHC	0.0943	0.142	ND	ND
CBC	0.0943	0.142	<LOQ	<LOQ
CBCa	0.0943	0.142	ND	ND
CBD	0.0943	0.142	83.446	834.46226
CBDa	0.0943	0.142	ND	ND
CBDV	0.0943	0.142	1.127	11.26908
CBDVa	0.0943	0.142	ND	ND
CBG	0.0943	0.142	1.664	16.63755
CBGa	0.0943	0.142	ND	ND
CBN	0.0943	0.142	ND	ND
CBNa	0.0943	0.142	ND	ND
Δ8-THC	0.0943	0.142	0.225	2.24911
Δ9-THC	0.0943	0.142	2.894	28.93606
THCa	0.0943	0.142	ND	ND
THCp	0.0943	0.142	ND	ND
THCV	0.0943	0.142	ND	ND
THCVa	0.0943	0.142	ND	ND
Total THC			2.894	28.93606
Total CBD			83.446	834.46226
Total			89.355	893.55406

Date Tested: 02/20/2026

Testing Method: HPLC, CON-P-3000

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection, ND = Not Detected

Total THC Measurement of Uncertainty: ± 0.040%, Total CBD Measurement of Uncertainty: ± 2.000%. The decision rule is employed; the uncertainty measurement is not included in the reported result.



Ashley N Phillips

Ashley Phillips
Laboratory Director
02/24/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





LLF-1030-FSD

Sample ID: 2602NBL0309.0858
Matrix: Concentrates & Extracts
Type: Distillate
Sample Size:
Date Collected: 02/17/2026

Received: 02/17/2026
Completed: 02/24/2026
Expires: 02/24/2027
External Lot ID:
Batch#: LLF-1030-FSD

Client
Abhaya Holding Co.
Lic. #
319 E Lewis & Clark Pkwy Clarksville, IN 47129
(502) 432-9151 abhayaholdingco@gmail.com

Pesticides

Pass

Analyte	LOQ	LOD	Limit	Result	Status	Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
Abamectin	0.096	0.028	0.500	ND	Pass	Hexythiazox	0.093	0.028	1.000	ND	Pass
Acephate	0.093	0.028	0.400	ND	Pass	Imazalil	0.093	0.028	0.200	ND	Pass
Acequinocyl	0.093	0.028	2.000	ND	Pass	Imidacloprid	0.093	0.028	0.400	ND	Pass
Acetamiprid	0.093	0.028	0.200	ND	Pass	Kresoxim Methyl	0.093	0.028	0.400	ND	Pass
Aldicarb	0.093	0.028	0.400	ND	Pass	Malathion	0.093	0.028	0.200	ND	Pass
Azoxystrobin	0.093	0.028	0.200	ND	Pass	Metalaxyl	0.093	0.028	0.200	ND	Pass
Bifenazate	0.093	0.028	0.200	ND	Pass	Methiocarb	0.093	0.028	0.200	ND	Pass
Bifenthrin	0.093	0.028	0.200	ND	Pass	Methomyl	0.093	0.028	0.400	ND	Pass
Boscalid	0.093	0.028	0.400	ND	Pass	Myclobutanil	0.093	0.028	0.028	ND	Pass
Carbaryl	0.093	0.028	0.200	ND	Pass	Naled	0.231	0.070	0.500	ND	Pass
Carbofuran	0.093	0.028	0.200	ND	Pass	Oxamyl	0.093	0.028	1.000	ND	Pass
Chlorantraniliprole	0.093	0.028	0.200	ND	Pass	Paclbutrazol	0.093	0.028	0.400	ND	Pass
Chlorfenapyr	0.074	0.028	1.000	ND	Pass	Methyl Parathion	0.074	0.028	0.200	ND	Pass
Chlormequat	0.093	0.028	0.200	ND	Pass	Permethrins	0.093	0.028	0.200	ND	Pass
Chlorpyrifos	0.093	0.028	0.200	ND	Pass	Phosmet	0.093	0.028	0.200	ND	Pass
Clofentezine	0.093	0.028	0.200	ND	Pass	Piperonyl	0.093	0.028	2.000	ND	Pass
Cyfluthrin	0.463	0.139	1.000	ND	Pass	Butoxide					
Cypermethrin	0.463	0.139	1.000	ND	Pass	Prallethrin	0.093	0.028	0.200	ND	Pass
Daminozide	0.926	0.278	1.000	ND	Pass	Propiconazole	0.093	0.028	0.400	ND	Pass
Diazinon	0.093	0.028	0.200	ND	Pass	Propoxur	0.093	0.028	0.200	ND	Pass
Dichlorvos	0.046	0.015	0.100	ND	Pass	Pyrethrins	0.463	0.139	1.000	ND	Pass
Dimethoate	0.093	0.028	0.200	ND	Pass	Pyridaben	0.093	0.028	0.200	ND	Pass
Ethoprophos	0.093	0.028	0.200	ND	Pass	Spinosad	0.094	0.028	0.200	ND	Pass
Etofenprox	0.093	0.028	0.400	ND	Pass	Spiromesifen	0.093	0.028	0.200	ND	Pass
Etoxazole	0.093	0.028	0.200	ND	Pass	Spirotetramat	0.093	0.028	0.200	ND	Pass
Fenoxycarb	0.093	0.028	0.200	ND	Pass	Spiroxamine	0.093	0.028	0.400	ND	Pass
Fenpyroximate	0.093	0.028	0.400	ND	Pass	Tebuconazole	0.093	0.028	0.400	ND	Pass
Fipronil	0.093	0.028	0.400	ND	Pass	Thiacloprid	0.093	0.028	0.200	ND	Pass
Flonicamid	0.093	0.028	1.000	ND	Pass	Thiamethoxam	0.093	0.028	0.200	ND	Pass
Fludioxonil	0.093	0.028	0.400	ND	Pass	Trifloxystrobin	0.093	0.028	0.200	ND	Pass

Date Tested: 02/24/2026

Testing Method: LC/MS/MS CON-P-5000; GC/MS/MS CON-P-12000. The decision rule is employed; the uncertainty measurement is not included in the reported result.



Ashley N Phillips

Ashley Phillips
Laboratory Director
02/24/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





LLF-1030-FSD

Sample ID: 2602NBL0309.0858
Matrix: Concentrates & Extracts
Type: Distillate
Sample Size:
Date Collected: 02/17/2026

Received: 02/17/2026
Completed: 02/24/2026
Expires: 02/24/2027
External Lot ID:
Batch#: LLF-1030-FSD

Client
Abhaya Holding Co.
Lic. #
319 E Lewis & Clark Pkwy Clarksville, IN 47129
(502) 432-9151 abhayaholdingco@gmail.com

Microbials

Pass

Analyte	LOD	Result	Status
	Cq	Cq	
Shiga Toxin-producing E. Coli	40.000	ND	Pass
Salmonella	40.000	ND	Pass
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	40.000	ND	Pass

Method of Analysis: qPCR, CON-P-6000. The decision rule is employed; the uncertainty measurement is not included in the reported result.

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Yeast & Mold	10	ND	Pass
E. Coli	10	ND	Pass

Method of Analysis: Petrifilm, CON-P-9000
Date Tested: 02/17/2026

CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected. The decision rule is employed; the uncertainty measurement is not included in the reported result.

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
B1	1	5		ND	Tested
B2	1	5		ND	Tested
G1	1	5		ND	Tested
G2	1	5		ND	Tested
Total Aflatoxins	1	5	20	ND	Pass
Ochratoxin A	6	19	20	ND	Pass

Date Tested: 02/24/2026

Testing Method: LC/MS/MS, CON-P-5000. The decision rule is employed; the uncertainty measurement is not included in the reported result.

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.049	0.097	0.200	ND	Pass
Cadmium	0.049	0.097	0.200	ND	Pass
Lead	0.049	0.097	0.500	ND	Pass
Mercury	0.049	0.097	0.100	ND	Pass

Date Tested: 02/18/2026

Testing Method: ICP/MS, CON-P-7000. The decision rule is employed; the uncertainty measurement is not included in the reported result.



Ashley Phillips

Ashley Phillips
Laboratory Director
02/24/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





LLF-1030-FSD

Sample ID: 2602NBL0309.0858
Matrix: Concentrates & Extracts
Type: Distillate
Sample Size:
Date Collected: 02/17/2026

Received: 02/17/2026
Completed: 02/24/2026
Expires: 02/24/2027
External Lot ID:
Batch#: LLF-1030-FSD

Client
Abhaya Holding Co.
Lic. #
319 E Lewis & Clark Pkwy Clarksville, IN 47129
(502) 432-9151 abhayaholdingco@gmail.com

Residual Solvents

Analyte	LOD PPM	LOQ PPM	Limit PPM	Result PPM	Status
Acetone	72.115	240.385	1000.000	ND	Pass
Benzene	0.288	0.962	2.000	ND	Pass
n-Butane	66.346	221.154		ND	Tested
Isobutane	66.346	221.154		ND	Tested
Butanes			1000.000	ND	Pass
Ethanol	72.115	240.385	5000.000	ND	Pass
Ethyl Acetate	72.115	240.385	1000.000	ND	Pass
Heptane	72.115	240.385	1000.000	ND	Pass
n-Hexane	1.442	4.808		ND	Tested
2,2-Dimethylbutane	1.442	4.808		ND	Tested
3-Methylpentane	1.442	4.808		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	2.885	9.615		ND	Tested
Hexanes			60.000	ND	Pass
Methanol	28.846	96.154	600.000	ND	Pass
Isopentane	66.346	221.154		ND	Tested
n-Pentane	28.846	96.154		ND	Tested
Neopentane	66.346	221.154		ND	Tested
Pentanes			1000.000	ND	Pass
2-Propanol	72.115	240.385	1000.000	ND	Pass
Propane	288.462	961.538	1000.000	ND	Pass
Toluene	0.144	0.481	180.000	ND	Pass
Ethylbenzene	0.144	0.481		ND	Tested
m/p-Xylene	0.144	0.481		ND	Tested
o-Xylene	0.144	0.481		ND	Tested
Xylenes			430.000	ND	Pass

Date Tested: 02/17/2026

Testing Method: HS-GC/MS, CON-P-8000, Butanes (measured as the cumulative sum of n-Butane and iso-Butane), Hexanes (measured as the cumulative sum of n-Hexane, 2,2-Dimethylbutane, 3-Methylpentane, 2-Methylpentane/2,3-Dimethylbutane), Pentanes (measured as the cumulative sum of iso-Pentane, n-Pentane, and neo-Pentane), Xylenes (measured as the cumulative sum of m/p-Xylene, o-Xylenes, and ethylbenzene). The decision rule is employed; the uncertainty measurement is not included in the reported result.



Ashley N Phillips

Ashley Phillips
Laboratory Director
02/24/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com






LLF-1030-FSD

Sample ID: 2602NBL0309.0858
Matrix: Concentrates & Extracts
Type: Distillate
Sample Size:
Date Collected: 02/17/2026

Received: 02/17/2026
Completed: 02/24/2026
Expires: 02/24/2027
External Lot ID:
Batch#: LLF-1030-FSD

Client
Abhaya Holding Co.
Lic. #
319 E Lewis & Clark Pkwy Clarksville, IN 47129
(502) 432-9151 abhayaholdingco@gmail.com



Ashley Phillips

Ashley Phillips
Laboratory Director
02/24/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

